

AIR COMPRESSOR

AIRMAN

PDS265S-4C3

YANMAR 4DP-4TNV98T



COMPRESSOR

Type

Free air delivery (m³/min)

Rated operating pressure

Compressor oil capacity (L)

Receiver tank capacity (m³)

Air outlet valve

Rotary Twin Screw, Single-Stage, Oil-cooled

7.5

0.69[7.0][100]

30

0.069

3/4" x 4, 2"x 1 (OP)

ENGINE

Maker/Model

Type

Rated Output

Engine oil capacity

Fuel tank capacity

Fuel consumption (70% load)

Coolant capacity

Battery

YANMAR KDP-4TNV98T

Direct-Injection, Turbo-Changed

612(83.2)/2500

11

115

10.0

10

95D31R x 1

DIMENSION & WEIGHT

L x W x H (mm)	2400 x 1550 x 1650
Dry (Operating) weight (kg)	1350 (1490)
Time Size	145/80R12 86/84N x 2W
Sound power level in decibels (dB)	98
Sound pressure level (dB[A])	70
Designated emissions regulation	JPN Stage 3

Gainwealth Engineering & Trading

No. 6, Jalan Sutera 1/5A Kawasan Perindustrian, Bukit Angkat, 43000 Kajang, Selangor, Malaysia

H/P: 6012-3717349 Tel: 03-8730 1327

E-mail: alex2gw@gmail.com