

# AIR COMPRESSOR

# AIRMAN

**PDS185S-5C5**

**YANMAR 4TNV88-BDHKSR**



## COMPRESSOR

### Type

Free air delivery (m<sup>3</sup>/min)

Rated operating pressure

Compressor oil capacity (L)

Receiver tank capacity (m<sup>3</sup>)

Air outlet valve

Rotary Twin Screw, Single-Stage, Oil-cooled

5.2

0.7[7.14][102]

15

0.021

3/4" x 3

## ENGINE

### Maker/Model

Type

Rated Output

Engine oil capacity

Fuel tank capacity

Fuel consumption (70% load)

Coolant capacity

Battery

YANMAR 4TNV88-BDHSR

Direct-Injection

34.9(47.5)/3000

7.4

90

6.3

5.8

85D26R x 1

## DIMENSION & WEIGHT

L x W x H (mm)	1850 x 950 x 1080
Dry (Operating) weight (kg)	755 (850)
Time Size	-
Sound power level in decibels (dB)	95
Sound pressure level (dB[A])	68
Designated emissions regulation	JPN Stage 3

### **Gainwealth Engineering & Trading**

No. 6, Jalan Sutera 1/5A Kawasan Perindustrian, Bukit Angkat, 43000 Kajang, Selangor, Malaysia

H/P: 6012-3717349 Tel: 03-8730 1327

E-mail: alex2gw@gmail.com